

TBP Converting, Inc. Rogers MF-1 Silicone Bun MSDS



PRODUCT SAFETY INFORMATION SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME: MF-1 Silicone Bun

CHEMICAL FAMILY: Polydimethylsiloxane Polymer

HMIS RATING: H 1 F 1 R 0

USE OF ARTICLE Seat Padding

DATE ISSUED: July 16, 2014

COMPANY/UNDERTAKING Rogers Corporation
IDENTIFICATION: 171 W. St. Charles Road

Carol Stream, IL 60188-2081 Phone: 001-630-784-6200 Fax: 001-630-784-6201

Email: msdsinfo@rogerscorporation.com

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE NA

MATERIAL:

LABELING REQUIREMENTS: NA EFFECTS OF OVEREXPOSURE: NA

INHALATION: Dust generated during cutting or grinding can be irritating to mucous

membranes.

EYE CONTACT: Dust generated during cutting or grinding can be irritating to mucous

membranes.

SKIN CONTACT: May cause irritation.

INGESTION: NA CHRONIC: NA

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and REGULATION (EC) N° 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required.

Chemical Name	CAS No.	EINECS /ELINCS	<u>%</u>	OSHA PEL	ACGIH TLV	<u>China</u> <u>OEL</u>	<u>EU</u> Classification
Polydimethylsiloxane Polymer	Proprietary	Proprietary	99	NE	NE	NE	Not classified under 67/548/EC
Magnesium Hydroxide	1309-42-8	215-170-3	<20%	NE	NE	NE	Skin & Eye Irritant

FIRST-AID MEASURES INHALATION: Remove to fresh air. Obtain medical attention if symptoms persist. EYE CONTACT: Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention if symptoms persist. SKIN CONTACT: Immediately take off all contaminated clothing and flush area with water for 15 to 20 minutes. Obtain medical attention if symptoms persist. INGESTION: Do not induce vomiting. Obtain medical attention if condition warrants. 5. FIRE-FIGHTING MEASURES °C (°F) FLASH POINT: NA Flammable Limits: LEL NA UEL NA **AUTOIGNITION TEMPERATURE:** NE °C (°F) **EXTINGUISHING MEDIA:** Foam Water Spray Other -Dry Chemical SPECIAL FIRE FIGHTING Firefighters should be equipped with self-contained breathing apparatus and PROCEDURES: turnout gear. UNUSUAL FIRE AND EXPLOSION None known. HAZARDS: 6. ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS: Wear suitable protective equipment. Wear self-contained breathing apparatus and heavy rubber gloves. Avoid contact with skin and eyes. **ENVIRONMENTAL PRECAUTIONS:** Prevent from entering sewer system, surface water or soil. **CLEANING METHODS:** Absorb with vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material collection is complete. 7. HANDLING AND STORAGE HANDLING: Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling. STORAGE: Keep in a cool, well-ventilated area. EXPOSURE CONTROLS/PERSONAL PROTECTION RESPIRATORY PROTECTION: None needed under normal conditions. If material is heated and odors are noticeable and/or irritating a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate each situation. **VENTILATION** LOCAL: Recommended for all industrial operations. Recommended for all industrial operations. GENERAL: PERSONAL PROTECTION

8.

HAND: Gloves to avoid skin contact if desired.

EYE: Safety glasses with side-shields are recommended in all industrial operations.

SKIN: None required.

OTHER: Safety shower/eyewash in the area.

9. PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE: White ODOR: Negligible Odor PHYSICAL STATE: Solid NA °C (°F) **BOILING POINT:** NE °C (°F) MELTING POINT: °C (°F) FREEZING POINT: NA NE °C (°F) FLASH POINT: WATER SOLUBILITY: Insoluble VAPOR DENSITY: NA **VAPOR PRESSURE:** NA SPECIFIC GRAVITY: 0.12 (Water = 1)PARTITION COEFFICIENT: NA **EVAPORATION RATE:** NA **RELATIVE DENSITY:** NA VISCOSITY: NA °C (°F) **AUTO-IGNITION TEMPERATURE:** NA **DECOMPOSITION TEMPERATURE:** °C (°F) NA NA FLAMMABILITY: NA STABILITY AND REACTIVITY STABLE X UNSTABLE CONDITIONS TO AVOID: NE MATERIALS TO AVOID: NE HAZARDOUS POLYMERIZATION: Does Not Occur May Occur Χ Carbon Monoxide, Carbon Dioxide, and Hydrocarbons HAZARDOUS DECOMPOSITION PRODUCTS: TOXICOLOGICAL INFORMATION **CARCINOGENIC STATUS:** NA **ECOLOGICAL INFORMATION** NA **ECOTOXICITY:** DISPOSAL CONSIDERATION PHYSICAL/CHEMICAL PROPERTIES Materials are solid and are easily handled. Place in appropriate disposal AFFECTING DISPOSAL: container. **ENVIRONMENTAL TOXICITY DATA:**

12.

13.

WASTE DISPOSAL METHOD:

Dispose of in accordance with applicable federal, state, provincial, and local

laws and regulations.

14. TRANSPORT INFORMATION

UN NUMBER: Not Regulated UN PROPER SHIPPING NAME: Not Regulated HAZARD CLASS (ES): Not Regulated PACKING GROUP: Not Regulated

ENVIRONMENTAL HAZARDS: NE

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS:

Canadian (DSL/NDSL):

Australian (ACIS):

Korea (KECI):

Japan (ENCS, MITI):

NE

China (IESCS) Article – Exempt

EU Directive 2011/65/EC (RoHS): Does not contain any intentionally added substances mentioned by the RoHS

directive

European:

Symbol Not classified according to directive 1999/45/EC (dangerous preparations).

R-Phase(s):

S-Phase(s):

NA

TSCA All materials are listed or exempt from TSCA listing.

(Toxic Substances Control Act):

CERCLA NA

(Comprehensive Emergency Response,

Compensation, and Liability Act):

SARA TITLE III NA

(Superfund Amendments and

Reauthorization Act):

311/312 HAZARD CATEGORIES: None

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the

Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372:

CAS # CHEMICAL NAME PERCENT BY WEIGHT
NA NA NA

16. OTHER INFORMATION

NA = Not Applicable FILE: Rogers MF1 Silicone Bun PSIS 07162014

NE = Not Established 99258

NC = Not Classified PREPARED BY: Michal Werbecki REVIEWED BY: Curtis Kempton

Date Prepared: 07/16/2014